



CLAYTON MUNROE

## RESTORATION



Our trademarked 'Rough At The Edges' range of traditional forged ironmongery was originally developed in response to demand from customers faced with the problem of sourcing original hardware when restoring period buildings.

Our Rough At The Edges products ensure the true character of the building can be preserved and includes many authentic replicas of restoration hardware often based on 17th and 18th century patterns.



The hand forged nature of the range means that no two pieces are identical, yet quality is of the highest standard. Items are available in three primary finishes - Rough At The Edges Black, Rough At The Edges Wax and Hammered Patine (see fold-out page at the back of this binder for further information).

## FINISHES & MAINTENANCE

### Hammered Patine

The base material is steel or cast iron. As the name implies, this finish is achieved by hammering the surface and is a pewter coloured finish. This finish is highly suitable for external applications and allows the Rough At The Edges product range to be used throughout a project specification. The products are finished in a clear lacquer and when fitted internally require only the occasional cleaning with a household furniture bees wax applied with a soft cloth. Externally, the product will benefit from the maintenance of a layer of household bees wax as this helps control the effects of exposure of the surface to the atmosphere and enhances the development of the natural patina that comes with the aging of the product. If cleaning is required use only a non-acidic soap. Do not use abrasive or chemical cleaners. It is to be expected that eventually the lacquer will break down and some evidence of corrosion may be seen. There are two types of corrosion that may develop. White rust, which is a harmless zinc oxide and which can be removed using a wax or oil cloth, and red rust, iron oxide, which is seen usually where two surfaces rub or are very close together. Regular maintenance will prevent corrosion becoming unsightly or damaging to the product. This life of this finish is guaranteed; see our Terms and Conditions sections for the full guarantee details.



### Rough at the Edges Wax

Each product is coated in natural pure bees wax. The traditional method of sealing forged iron is to use beeswax; it allows the colours and textures produced by the forging process to show through. If this coating breaks down and air comes into contact with the metal then the product will begin to rust. To prevent this the periodic application of a household bees wax will keep the product pleasant to both see and use. Do not use abrasive or chemical cleaners. This finish is not suitable for external or exposed situations. Because the finish is so dependant upon how it is maintained we cannot give any guarantees as to its continuity.

### Rough at the Edges Black

This finish was originally developed to meet the need to use the Rough at the Edges range of products in external or exposed positions. The products undergo an anti-corrosion treatment and then finished in a black powder coating. Externally, the product will benefit from the maintenance of a layer of household bees wax as this helps control the effects of exposure of the surface to the atmosphere. If cleaning is required use only a non-acidic soap. Do not use abrasive or chemical cleaners. It is to be expected that eventually the lacquer will break down and some evidence of corrosion may be seen. There are two types of corrosion that may develop. White rust, which is a harmless zinc oxide and which can be removed using a wax or oil cloth, and red rust, iron oxide, which is seen usually where two surfaces rub or are very close together. Regular maintenance will prevent corrosion becoming unsightly or damaging to the product. The life of this finish is guaranteed; see our Terms and Conditions sections for

For pricing or enquiries email [sales@mercuryfittings.co.za](mailto:sales@mercuryfittings.co.za)



**32-123 Weighty Scotch Pattern T Hinge**

Overall length: 470mm  
Butt size: 130 x 35mm Tail size: 410 x 50mm  
Nail size: 40mm Screw size: 25mm x 8 RHD

**Finishes available:**

Hammered Patine, (Screw fixing only),  
Rough At The Edges Black, Rough At The Edges Waxed.

(Available as screw or nail fixing - Please state fixings required.)



**32-102 London Pattern T Hinge**

Overall length: 250mm  
Butt size: 100 x 27mm Tail size: 215 x 40mm  
Nail size: 40mm Rose head cut nails Screw size: 8 x 25mm RHD

**Finishes available:**

Hammered Patine (Screw fixing only),  
Rough At The Edges Black, Rough At The Edges Waxed.

(Available as screw or nail fixing - Please state fixings required.)



**32-181 H Pattern Door Hinge**

Size: 170 X 62mm  
Screw size: 8 x 25mm RHD

**Finishes available:**

Hammered Patine, Rough At The Edges Black,  
Rough At The Edges Waxed.



**32-159 HL Pattern Hinge**

Size (Open): 180 x 60mm  
Size (Overall): 180 x 185mm  
Screw size: 8 x 25mm RHD

**Finishes available:**

Hammered Patine, Rough At The Edges Black,  
Rough At The Edges Waxed.

For pricing or enquiries email [sales@mercuryfittings.co.za](mailto:sales@mercuryfittings.co.za)



**32-262 Kingston Hook Plate**

Size: 165mm X 50mm

Pin size: 16mm

Coach screw size: 10 x 10 x 35mm long

**Finishes available:**

Hammered Patine, Rough At The Edges Black,  
Rough At The Edges Waxed.



**32-211 Kingston Offset Hinge**

Our standard Offset hinge is designed to work in conjunction with the Kingston Hook on Plate. Other offsets are available as a custom order.

Length: 310, 420, 530, 640, 750mm

Width: 50 x 5mm

Coach screw size: 10 x 10 x 35mm long

**Finishes available:**

Hammered Patine, Rough At The Edges Black, Rough At The Edges Waxed.



**32-200 Kingston False Hinge**

Length: 310, 420, 530, 640, 750mm

Width: 50 x 5mm

Coach screw size: 10 x 10 x 35mm long

**Finishes available:**

Hammered Patine, Rough At The Edges Black,  
Rough At The Edges Waxed.



**32-267 Kingston Build- in Hook**

Tail size: 140 x 90mm

Overall height: 90mm

Height of pin: 65mm

Pin size: 16mm

**Finishes available:**

Hammered Patine, Rough At The Edges Black,  
Rough At The Edges Waxed.

For pricing or enquiries email [sales@mercuryfittings.co.za](mailto:sales@mercuryfittings.co.za)



**32-005 Staverton Thumbblatch**  
to suit door thickness up to 40mm  
Handle size: 190mm  
Lifting bar: 165mm  
Projection: 110mm  
Screw size: 6 x 19mm RHD

**Finishes available:**  
Hammered Patine, Rough At The Edges Black,  
Rough At The Edges Waxed.



**11 620 Gate/Door latch**

Rose plate size: 52 x 68mm Ring dia: 60 x 75mm  
Projection: 45mm Spindle: 8mm x 85mm  
Staple Keep: 95 x 25mm Latch bar keep: 70 x 25mm

**Finishes available:**  
Patine, Rough At The Edges Black.



**11-700 Heavy duty door latch**

Plate size: 247 x 58mm  
Handle Projection: 60mm  
Latch Bar: 225 x 528mm Latch Bar Plate: 64 x 32mm  
Latch Bar Keep: 100 x 24mm with projection: 34mm

(Note to suit maximum door thickness 70mm)

**Finishes available:**  
Patine, Rough At The Edges Black.



**32-039 Tuckenhay Door Pull**

Overall length: 160mm approx  
Screw size: 19mm x 6 RHD

**Finishes available:**  
Hammered Patine, Rough At The Edges Black,  
Rough at The Edges Waxed.

For pricing or enquiries email [sales@mercuryfittings.co.za](mailto:sales@mercuryfittings.co.za)



**32-515 Octagonal Door Knob Set**

Suitable for Mortice and Rim applications.

Supplied with 2 x Escutcheons **32-520**

Diameter: 65mm

Handle projection: 65mm

Back Plate size: 60mm

Screw size: 6 x 19mm CSK

**Finishes available:**

Patine, Rough At The Edges Black,  
Rough at the Edges waxed.



**32-510 Round Door Knob Set**

Suitable for Mortice and Rim applications.

Supplied with 2 x Escutcheons **32-520**

Diameter: 44mm

Handle projection: 62mm

Back Plate size: 52mm

Screw size: 6 x 19mm CSK

**Finishes available:**

Patine, Rough At The Edges Black,  
Rough At The Edges Waxed.



**32-505 Oval Door Knob Set**

Supplied with 2 x Escutcheons **32-520**

Size: 65 x 35mm

Handle projection: 62mm

Back Plate size: 52mm

Screw size: 6 x 19mm CSK

**Finishes available:**

Patine, Rough At The Edges Black,  
Rough at the Edges Waxed.



**32-518 Octagonal fixed door knob**

Rose Diameter: 75mm

Knob Diameter: 60mm

Projection: 485mm

Fixing: Black bolt through fixing 8 x 70mm

**Finishes available:**

Patine, Rough At The Edges Black.

For pricing or enquiries email [sales@mercuryfittings.co.za](mailto:sales@mercuryfittings.co.za)



**32-520 Escutcheon**

Size: 50 x 30mm  
Screw size: 6 x 19mm CSK

**Finishes available:**

Patine, Rough At The Edges Black,  
Rough At The Edges Waxed.

---



**15-010 Covered Escutcheon**

Size: 57 x 28mm  
Screw size: 6 x 19mm CSK

**Finishes available:**

Patine, Rough At The Edges Black,  
Rough At The Edges Waxed.

---

For pricing or enquiries email [sales@mercuryfittings.co.za](mailto:sales@mercuryfittings.co.za)



**32-075 Dartington Door Bolt c/w Mortice Plate**  
**32-079 Dartington Door Bolt c/w Keep** (pictured)

Backplate size: 145 x 50mm  
 Keep size: 50 x 15mm  
 Mortice Plate size: 45 x 25mm  
 Plate screw size: 7 x 25mm CSK  
 Screw size: 8 x 25mm RHD

**Finishes available:**

Hammered Patine, Rough at the Edges Waxed,  
 Rough at the Edges Black.



**32-085 Cranked Dartington Door Bolt c/w Keep**  
**32-080 Cranked Dartington Door Bolt c/w Mortice Plt**

Backplate size: 145 x 50mm  
 Keep size: 50 x 15mm  
 Mortice Plate size: 45 x 25mm  
 Screw size: 8 x 25mm RHD

**Finishes available:**

Rough at the Edges Waxed only



**14-971 Flush bolt** Size: 152 x 25mm  
**14-976 Flush bolt** Size: 203 x 25mm

(not recommended for fitting to lock face edge of door)

**Finishes available:**

Patine, Black.



**14-900 Cabin Hook** L75mm  
**14-905 Cabin Hook** L150mm  
**14-910 Cabin Hook** L200mm  
**14-915 Cabin Hook** L250mm

Screw size: 8 x 25mm

**Finishes available:**

Patine, Black



**13-041 Medium Robe Hook**

Height: 125mm  
 Projection: 80mm  
 Backplate size: 50 x 33mm

**Finishes available:**

Patine, Black

For pricing or enquiries email [sales@mercuryfittings.co.za](mailto:sales@mercuryfittings.co.za)



**Pear Drop window Stay**

**20-133** Overall size: 265mm Stay arm size: 240mm

**20-138** Overall size: 315mm Stay arm size: 287mm

Screw Size: 8 x 25mm CSK  
c/w 2 pins



**Finishes available:**

Black, Patine.

**Monkey Tail window Stay**

**20-157** Overall size: 265mm Stay arm size: 240mm

**20-162** Overall size: 315mm Stay arm size: 287mm

Screw size: 8 x 25mm CSK  
c/w 2 pins



**Finishes available:**

Black, Patine.

**Curl window Stay**

**20-180/265** Overall size: 265mm Stay arm size: 240mm

**20-180/315** Overall size: 315mm Stay arm size: 287mm

Screw size: 8 x 25mm CSK  
c/w 2 pins



**Finishes available:**

Black, Patine.

For pricing or enquiries email [sales@mercuryfittings.co.za](mailto:sales@mercuryfittings.co.za)



**20-104 Pear Drop Fastener**

Back Plate size: 55 x 19mm  
Overall length: 100mm

**Available with:** (sold separately)  
Hook Plate **20-100** (shown)  
Mortice Plate **20-102**

Screw size: 8 x 25mm CSK

**Finishes available:**  
Black, Patine.



**20-109 Monkey Tail Fastener on Rectangular Plate**

Back plate size: 55 x 19mm  
Overall length: 100mm

**Available with:** (sold separately)  
Hook Plate **20-100**  
Mortice Plate **20-102** (shown)

Screw size: 8 x 25mm CSK

**Finishes available:**  
Black, Patine.



**20-120 Curl Window Fastener**

Fixing plate size: 56 x 20mm

**Available with:** (sold separately)  
Hook Plate **20-100**  
Mortice Plate **20-102**

Screw size: 8 x 25mm CSK

**Finishes available:**  
Black, Patine.



**20-110 Monkey Tail Fastener on Scroll Plate**

Back plate size: 87 x 25mm  
Overall length: 123mm

**Available with:** (sold separately)  
Hook Plate **20-100/SCROLL** (shown)  
Mortice Plate **20-102**

Screw size: 8 x 25mm CSK

**Finishes available:** Black, Patine.

For pricing or enquiries email [sales@mercuryfittings.co.za](mailto:sales@mercuryfittings.co.za)



**20-227 Sash Lift**

Size: 62 x 25mm

Projection: 40mm

Screw Size: 8 x 25mm CSK

**Finishes available:**

Black, Patine.



**20-210 Sash Fastener (Left Hand) (shown)**

**20-211 Sash Fastener (Right Hand)**

Keep: 14 x 67mm

Arm Plate: 20 x 70mm

(please allow an additional 5mm when the arm goes through the keep.)

Screw size: 8 x 25mm CSK

**Finishes available:**

Black, Patine.

For pricing or enquiries email [sales@mercuryfittings.co.za](mailto:sales@mercuryfittings.co.za)



**Mercury Fittings**

Unit 2 Ibis Park  
Bell Crescent  
Westlake Business Park  
Westlake  
7945  
Cape Town

**Phone:** +27 (0)21 702 0905

**Fax:** +27 (0)21 702 0166

**E-mail:** [sales@mercuryfittings.co.za](mailto:sales@mercuryfittings.co.za)

[www.mercuryfittings.co.za](http://www.mercuryfittings.co.za)